



Open-Cell | Polyol Component B



# **Safety Data Sheet**

	Product Name	· · · · · · · · · · · · · · · · · · ·	VPC-50 NF		
	Chemical Name		Polyurethane Resin/B-side		
	Product Type		Liquid		
	Product Use		Component B of a Spray-Applied Polyurethane System		
.2	Name, Address, and Telephone o	f the Responsible Party			
	Company		Victory Polymers Corp. 1700 Post Oak Boulevard 2 BLVD Place, Suite 600 Houston, TX 77056   U.S.A.		
	Telephone Number		1-832-240-7222 / International: 001-832-240-7222		
	Email		info@VictoryPolymers.com		
	Website		www.VictoryPolymers.com		
.3	Emergency Telephone Number				
	For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC Day or Night		1-800-424-9300		
			1-000-424-9300		
		REC Day or Night	+1-703-527-3887 CCN838152		
Sect	Fire, Exposure, or Accident, Call CHEMTI	REC Day or Night			
	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls a	REC Day or Night			
	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification	REC Day or Night			
	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification GHS Ratings	REC Day or Night	+1-703-527-3887 CCN838152		
Sect 2.1	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification GHS Ratings Oral Toxicity	REC Day or Night ccepted)  Acute Tox. 4	+1-703-527-3887 CCN838152  Oral>300+<=2,000mg/kg		
	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification GHS Ratings Oral Toxicity Inhalation Toxicity	Acute Tox. 4 Acute Tox. 4	+1-703-527-3887 CCN838152  Oral>300+<=2,000mg/kg  Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l  Reversible adverse effects in dermal tissue,		
	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification GHS Ratings Oral Toxicity Inhalation Toxicity Skin Corrosive	Acute Tox. 4 Acute Tox. 4	+1-703-527-3887 CCN838152  Oral>300+<=2,000mg/kg  Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l  Reversible adverse effects in dermal tissue,  Draize score: >= 2.3 < 4.0 or persistent inflammation  Serious eye damage: Irreversible damage 21 days after exposure,		
	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification GHS Ratings Oral Toxicity Inhalation Toxicity Skin Corrosive Eye Corrosive	Acute Tox. 4 Acute Tox. 4 2	+1-703-527-3887 CCN838152  Oral>300+<=2,000mg/kg  Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation  Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5  Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification GHS Ratings Oral Toxicity Inhalation Toxicity Skin Corrosive Eye Corrosive Aquatic Toxicity	Acute Tox. 4 Acute Tox. 4 2	+1-703-527-3887 CCN838152  Oral>300+<=2,000mg/kg  Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation  Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5  Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification GHS Ratings Oral Toxicity Inhalation Toxicity Skin Corrosive Eye Corrosive Aquatic Toxicity GHS Hazards	Acute Tox. 4 Acute Tox. 4 2 1	+1-703-527-3887 CCN838152  Oral>300+<=2,000mg/kg  Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation  Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5  Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification  GHS Ratings Oral Toxicity Inhalation Toxicity Skin Corrosive  Eye Corrosive  Aquatic Toxicity  GHS Hazards  H302	Acute Tox. 4 Acute Tox. 4 2 1 C3 Harmful if swallowed	+1-703-527-3887 CCN838152  Oral>300+<=2,000mg/kg  Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation  Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5  Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTI Outside USA and Canada (collect calls ac ion 2: Hazards Identification  GHS Ratings Oral Toxicity Inhalation Toxicity Skin Corrosive  Eye Corrosive  Aquatic Toxicity  GHS Hazards  H302  H315	Acute Tox. 4 Acute Tox. 4 2 1 C3 Harmful if swallowed Causes skin irritation	+1-703-527-3887 CCN838152  Oral>300+<=2,000mg/kg  Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation  Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5  Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		



Open-Cell | Polyol Component B



GHS Precautions	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P310	Immediately call a POISON CENTER in case of overexposure
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P321	Specific treatment is urgent (see Section 4 First Aid measures)
P330	Rinse mouth
P362	Take off contaminated clothing and wash before reuse
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302+P352	IF ON SKIN: Wash with soap and water
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing
P332+P313	If skin irritation occurs: Get medical advice/attention
P501	Dispose of contents/container in accordance with existing federal, state, and local environmental control laws

# 2.4 GHS Label Elements Including Precautionary Statements

# **Hazard Pictograms**





Signal Word	Danger
Acute Toxicity	
Eyes	Corrosive to eyes.
Skin	Irritating to skin.
Inhalation	Not expected to be a route of exposure.
Ingestion	Harmful if swallowed. Consult physician.
Chronic Effects	Possible harmful target organ effects.

# **Section 3: Composition/Data on Components**

Chemical Name	CAS number	Weight Concentration %
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	20.00% - 30.00%
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched	127087-87-0	10.00% - 20.00%
Tertiary amine	N/A	1.00% - 5.00%
Ethanol, 2-[[2-(dimethylamino)ethyl]methylamino]-	2212-32-0	1.00% - 5.00%
Bis(2-dimethylaminoethyl) ether	3033-62-3	0.10% - 1.00%
1,4-Dioxane	123-91-1	0.00% - 0.10%



Inhalation	If inhaled and symptoms ensue	, move to fresh air. If breathing is difficult, giv	/e oxygen.		
After Eye Contact	Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if present and easy to do so, and continuous rinsing. If irritation persists, contact physician.  Clean affected area with soap and plenty of water.				
After Skin Contact					
After Swallowing	Consult physician.				
Notes to Physician	Treat symptomatically.				
on 5: Firefighting Measures					
Flash Point	200° C (392° F)				
LEL	N/A				
UEL	N/A				
Upper and Lower Explosive Limits listed	if known				
Suitable Extinguishing Agents	Water spray, CO₂, Foam, Dry ch	emical.			
Information about Protection against Explosions and Fires		urces of heat. Closed containers may rupture	when exposed to extreme heat.		
Dangerous Products of Decomposition	Oxides of carbon, oxides of nitr	ogen, oxides of phosphorus, hydrocarbons, t	races of HCN, hydrogen chloride gas.		
Protective Equipment	······	sure demand self-contained breathing appara	· · · · · · · · · · · · · · · · · · ·		
on 6: Accidental Release Measu	res				
Person-Related Safety Precautions	Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.  Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations.				
Measures for Environmental Protection					
Small Spills	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorber material (e.g., cloth, fleece) clean surface thoroughly to remove residual contamination.				
Large Spills	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.				
on 7: Handling and Storage					
Information for Safe Handling	Avoid contact with eyes, skin, c	r inhalation.			
Storage Requirements	Store in dry, well-ventilated are	a. Keep containers tightly closed. Store betw	reen 60°F-100°F. Material may settle.		
Regulatory Requirements	Store in dry, well-ventilated area. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.  Obey all local, state, and federal requirements.				
on 8: Exposure Controls and Pe	rsonal Protection				
Occupational Exposure Limits					
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits		
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established		
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omega hydroxy-, branched 127087-87-0	Not Established	Not Established	Not Established		
Tertiary amine N/A	Not Established	Not Established	Not Established		
Ethanol, 2-[[2-(dimethylamino)ethyl]	Not Established	Not Established	Not Established		
methylamino]- 2212-32-0	N . F . I II I . I	0.15 ppm STEL	Not Established		
methylamino]- 2212-32-0 Bis(2-dimethylaminoethyl) ether 3033-62-3	Not Established	0.05 ppm TWA	NOT Established		



3.2	Individual Protection Measures						
	General Protective and Hygienic Measures	Usual precautionary measures shoul	d be adhered to when handling chemicals.				
	Respiratory Protection	In spray applications, an organic vapor/particulate respirator or air supplied unit is necessary.  Protective chemical resistant gloves.					
	Protection of Hands						
	Eye Protection	Chemical resistant goggles must be	worn.				
	Body Protection	Protective work clothing. Launder se	parately.				
	Contaminated Gear	Observe local requirements. Dispose	of in accordance with local/state/federal regulat	ions.			
Sect	ion 9: Physical and Chemical Pro	perties					
	Physical properties listed where known						
	Appearance	Amber liquid	Odor	Amine odor			
	Vapor Pressure	N/A	Odor Threshold	N/A			
	Vapor Density	N/A	рН	N/A			
	Specific Gravity	1.14	Melting Point	N/A			
	Freezing Point	N/A	Solubility	N/A			
	Boiling Range	100 - 342°C	Flash Point	392°F (200°C)			
	Evaporation Rate	N/A	Flammability	N/A			
	Explosive Limits	N/A	Partition Coefficient (n-octanol/water)	N/A			
	<b>Autoignition Temperature</b>	N/A	Decomposition Temperature	N/A			
Sect	Autoignition Temperature ion 10: Stability and Reactivity	N/A	Decomposition Temperature	N/A			
Sect		N/A  Avoid contact with isocyanates and		N/A			
Sect	ion 10: Stability and Reactivity			N/A			
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials	Avoid contact with isocyanates and Not expected to occur.					
	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen	strong oxidizing agents.		as.		
	ion 10: Stability and Reactivity  Chemical Incompatible Materials  Hazardous Polymerization  Dangerous Products of Decomposition	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen	strong oxidizing agents.		3S.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen	strong oxidizing agents.		as.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen	strong oxidizing agents.		3S.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen	strong oxidizing agents.		as.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitrogen  1,653mg/kg 2,547mg/kg	strong oxidizing agents.		as.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitrogen  1,653mg/kg 2,547mg/kg	strong oxidizing agents.		Inhalation LC50		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50 Component Toxicity	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen  1,653mg/kg 2,547mg/kg 16mg/L	strong oxidizing agents.  , oxides of phosphorus, hydrocarbons, traces of F	ICN, hydrogen chloride ga			
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition  ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50 Component Toxicity Product	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen  1.653mg/kg 2,547mg/kg 16mg/L  Description	strong oxidizing agents.  , oxides of phosphorus, hydrocarbons, traces of H  Oral LD50  500 mg/kg (Rat)  1,310 mg/kg (Rat)	ICN, hydrogen chloride ga	Inhalation LC50		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50 Component Toxicity Product 13674-84-5	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitrogen  1,653mg/kg 2,547mg/kg 16mg/L  Description 2-Propanol, 1-chloro-, phosphate (3:1) Poly(oxy-1,2-ethanediyl),	strong oxidizing agents.  , oxides of phosphorus, hydrocarbons, traces of H  Oral LD50  500 mg/kg (Rat)  1,310 mg/kg (Rat)	ICN, hydrogen chloride ga	Inhalation LC50		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition  ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50  Component Toxicity Product 13674-84-5 127087-87-0	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen  1,653mg/kg 2,547mg/kg 16mg/L  Description 2-Propanol, 1-chloro-, phosphate (3:1) Poly(oxy-1,2-ethanediyl), alpha(4-nonylphenyl)omegahydr	oral LD50  500 mg/kg (Rat)  1,290 mg/kg (Rat)	Dermal LD50 1,230 mg/kg (Rabbit) 2,000 mg/kg (Rabbit)	Inhalation LC50 5 mg/L (Rat)		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition  ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50  Component Toxicity Product 13674-84-5 127087-87-0  Tertiary amine	Avoid contact with isocyanates and Not expected to occur.  Oxides of carbon, oxides of nitrogen  1,653mg/kg 2,547mg/kg 16mg/L  Description 2-Propanol, 1-chloro-, phosphate (3:1) Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydi	oral LD50  500 mg/kg (Rat)  1,290 mg/kg (Rat)	Dermal LD50 1,230 mg/kg (Rabbit) 2,000 mg/kg (Rabbit)	Inhalation LC50 5 mg/L (Rat)		



## 1.3 Individual Toxicity Values Listed if Known

Acute Toxicity				
Eyes	Corrosive to eyes.	Chronic Effects	Possible harmful target organ effects.	
Skin	Irritating to skin.	Routes of Entry	Ingestion, skin contact, eye contact.	
Inhalation	Not expected to be a route of exposure.	Target Organs	Skin, eyes, reproductive system, kidneys.	
Ingestion	Harmful if swallowed. Consult physician.			

#### **Chemicals with Known or Possible Carcinogenic Effects**

CAS Number	Description	% Weight	Carcinogen Rating
123-91-1	1,4-Dioxane	0.0 to 0.1%	1,4-Dioxane: IARC group 2B -
			Possibly carcinogenic to humans

### **Section 12: Ecological Information**

#### 12.1 General Information

Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13.

Individual component ecotoxicity listed if known.

# 12.2 Component Ecotoxicity

Product/Ingredient Name	Result				
2-Propanol, 1-chloro-, phosphate (3:1)	96 Hr LC50 Brachydanio rerio:	56.2 mg/L [static]	48 Hr EC50 Daphnia magna:	63 mg/L	
	96 Hr LC50 Pimephales promelas:	98 mg/L [static]	72 Hr EC50 Desmodesmus subspicatus:	45 mg/L	
	96 Hr LC50 Poecilia reticulata:	30 mg/L [static]	96 Hr EC50 Pseudokirchneriella subcapitata:	4 mg/L	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omega	48 Hr LC50 Pimephales pormelas (fathead minnow):	3.8 - 6.2 mg/L			
hydroxy-, branched	48 Hr EC50 Daphnia magna:	9.3 - 21.4 mg/L			
	16 Hr IC50 Bacteria:	>1,000 mg/L			
Tertiary amine	72 Hr ErC50 Selenastrum capricornutum:	7.9 mg/L			
	72 Hr NOEC Selenastrum capricornutum:	1.2 mg/L			

#### **Section 13: Disposal Considerations**

Recommendation	Observe local requirements. Dispose of in accordance with local/state/federal regulations.
Empty Container Precautions	Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal.

## **Section 14: Transport Information**

## 14.1 DOT Regulated Components

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods unless specifically cited below:

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
	None			



### **Section 15: Regulatory Information**

#### 15.1 OSHA Hazard Communication Standard

This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

## 15.2 SARA 311/312 Hazard Categories

Acute health hazard, chronic health hazard

#### 15.3 WARNING

This product can expose you to chemicals listed below, which are known to the State of California to cause cancer, birth defects, or reproductive harm. For more information, visit www.P65Warnings.ca.gov

Chemical	CAS#		
Ethylene Oxide	75-21-8	1 PPM	CARC
1,4-Dioxane	123-91-1	4 PPM	CARC

## 15.4 State Regulations

Massachusetts Right To Know List	None
New Jersey Right To Know List	None
Pennsylvania Right To Know List	None

#### 15.5 SARA 302 Extremely Hazardous Substances

None

# 15.6 Chemicals Subject to SARA 313 Reporting

None

Country	Regulation	All Components Listed
Canada	Canada DSL	Yes
US	Toxic Substances Control Act	Yes

## **Section 16: Other Information**

Safety Data Sheet Issued by Product Safety Department	This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Victory Polymers Corp. The data on these sheets relates only to the specific material designated herein. Victory Polymers Corp. assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.
Prepared By	Victory Polymers Corp.
Current Issue Date	1/1/2020
Revision Date	7/13/2020